

Distributed By...



813-949-2288 Toll Free: 888-597-9501

The patented **DynaCushion Wear Mat™** is constructed of 100% recycled tire rubber, and is designed to eliminate erosion around playground equipment and kick out areas at all play structure exits. The **DynaCushion** has excellent shock absorbency characteristics with a certified 6 ft. fall height, therefore making it the best value in the industry.

### **SPECIFICATIONS**

R20C4872 -4'x6'x2" 192 lbs. 4'x4'x2" 128 lbs. R20C4848 -R20C4836 -4'x3'x2" 96 lbs. R20C4824 -4'x2'x2" 64 lbs. R13C4872 -4'x6'x1-1/4" -144 lbs. 96 lbs. R13C4848 -4'x4'x1-1/4" -R13C4836 -4'x3'x1-1/4" 72 lbs. R13C4824 -4'x2'x1-1/4" -48 lbs.

The DynaCushion provides you with durability, performance, and guaranteed impact attenuation.

### DURABLE

No other wear mat can match the innovative design of the DynaCushion Wear Mat, stability, longevity, durability, and resistance to wear.

### CERTIFICATION

DynaCushion Wear Mat is certified to meet ASTM requirements for impact attenuation.

Fall Protection Up to 6'

### PERFORMANCE WARRANTY

DynaCushion Wear Mat is guaranteed to be in compliance with ASTM F1292-94 and F1951, designed to provide a new level of confidence and protection.

### PRODUCT WARRANTY

DynaCushion Wear Mats carry a 5 year limited product warranty against defective materials and manufactures workmanship of the product.

## **Physical Properties**

Test Description	Test Ref.	Results
Wear Resistant	ASTM D3884	Passed
Slip Resistant	ASTM F-1677	Passed
Non Flammable	<b>ASTM 2859</b>	Passed
Non Toxic	<b>ASTM 2075</b>	Lead: Not Detected

Pierceton Rubber Products, Inc.

Distributed By...



813-949-2288 Toll Free: 888-597-9501



Beveled Surface mats are used under swings, slide exits, and anywhere stability, durable, longevity, and resilient surface is required. Meet ADA accessibility, ASTM requirement for impact attenuation, and CPSC requirements.

### PRODUCT WARRANTY

Beveled Surface Mats carry a 5 year limited product warranty against defective materials and manufactures workmanship of the products.

## **Physical Properties**

rest Description	iest hei.	Hesuits	
Wear Resistant	ASTM D3884	Passed	
Slip Resistant	<b>ASTM F-1677</b>	Passed	
Non Flammable	<b>ASTM 2859</b>	Passed	
Non Toxic	<b>ASTM 2075</b>	Lead: Not Detected	

### **SPECIFICATIONS**

R20B4872 - 4'x6'x2" - Wt. 144 lbs.
R20B4242 - 3'x3'x2" - Wt. 100 lbs.
R07F7272 - 6'x6'x3/4" - Wt. 100 lbs.
No bevel edge
R20F3636 - 3'x3'x2" - Wt. 100 lbs.
No bevel edge

(SEE PG. 9 FOR AVAILABLE COLORS)

Distributed By...

Pierceton Rubber Products, Inc.



813-949-2288 Toll Free: 888-597-9501

# WEAR MAT

### BEVELED





# TIRE SWING MAT

**R200CT4848** - 4' Beveled Octagon Wt. 125 lbs. **R200CT7272** - 6' Beveled Octagon Wt. 225 lbs.

# SPINNER WEAR MAT

R20BS4848 - 4' Beveled Octagon Wt. 125 lbs. R20BS7272 - 6' Beveled Octagon Wt. 225 lbs.





813-949-2288 Toll Free: 888-597-9501







813-949-2288 Toll Free: 888-597-9501 www.parkplayusa.com

### **BOULDERS**



The **DynaBoulder™** climber is constructed of 100% recycled tire rubber. Its environmentally sound structure is ideal for parks or playgrounds, where children might climb or roughhouse.

Each *DynaBoulder* comes carefully packaged and is shipped F.O.B. Pierceton, Indiana. Although it is not necessary to anchor these boulders due to their weight, an anchoring system is included.



# Large

Large: DB6002-L 56"Lx42"Wx30"H Wt. 670 lbs.

# Medium >

Medium: DB6002-M 31"Lx26"Wx21"H Wt. 185 lbs.



Small: DB6002-S 24"Lx12"Wx12"H Wt. 50 lbs.



(SEE PG. 9 FOR AVAILABLE COLORS)

### **PRODUCT WARRANTY**

Play Pets<sup>™</sup> and DynaBoulders <sup>™</sup> carry a 5 year limited product warranty against defective materials and manufactures workmanship of the product.

Pierceton Rubber Products, Inc.

Distributed By...



813-949-2288 Toll Free: 888-597-9501 www.parkplayusa.com

### **TERMS AND CONDITIONS**

#### **Safety Considerations**

Each of our product descriptions includes ground space dimensions.

Ground space is the amount of space required for an assembled unit.

When planning the space requirements for your playground, give careful consideration to the ground space dimensions and the use zone area. It is vital, for safety, that the entire zone be covered with a soft resilient surface. See U.S. Consumer Product Safety Commission Guidelines.

Merchandise, as received by you, should be carefully checked against the Freight Bill to be sure delivery of all items has been made.

- 1. Count the shipment and inspect for damage. If shipment is not delivered to you in good order and in accordance with the quantity shown on the Freight Bill of Lading, please note the shortage or damage on the Freight Bill before you sign for the shipment. Please contact your Pierceton Rubber Products, Inc. sales representative to advise the company of the shortage or damage.
- As soon as possible after delivery, open all cartons and inspect for concealed damage. If you do have shortages or damage in cartons, please contact your representative's office immediately so replacements can be made.
- 3. Do not throw away your copy of the Freight Bill. Any damaged or missing pieces not signed for as such on the Freight Bill of Lading will be replaced at the replacement cost, and freight charges will be charged to deliver the merchandise to your site.
- 4. Please note that the driver is obligated to bring your merchandise to the end of the trailer. It may then be advisable to have someone on hand to assist in unloading the merchandise. Unless a lift gate was requested on your purchase order to Pierceton Rubber Products, Inc.

#### **Terms**

**Freight:** F.O.B. factory. Freight charges will be prepaid and added to invoice unless otherwise agreed.

**Terms:** Net 30 days to established customers. One percent service charge per month on all accounts after 30 days.

Taxes: Added to invoice except when tax exempt certificate is provided.

**Returned Merchandise:** Please obtain our permission before returning merchandise. A 20% handling charge, in addition to freight charges, is made on returned product.

**Installation Instructions:** Contact your Pierceton Rubber Products, Inc. customer service representative.

WEIGHTS IN CATALOG ARE FOR THE ITEM ONLY AND DO NOT INCLUDE PACKAGING MATERIALS. THEREFORE TOTAL WEIGHTS WILL VARY AND WILL BE DETERMINED AFTER THE ORDER IS PACKAGED FOR SHIPPING.

SPECIFICATIONS WERE CORRECT AT THE TIME OF PUBLICATION. PIERCETON RUBBER PRODUCTS, INC. RESERVES THE RIGHT TO CHANGE PRICES, SPECIFICATIONS OR DISCONTINUE PRODUCT WITHOUT NOTICE.

#### The Right Play Surface

It is very important to never install playground equipment over a hard surface, such as asphalt or concrete. Falls onto hard surfaces can result in serious injury. We do not recommend grass as a surface for use under playground equipment. Grass is subject to wear and can become hard when compacted. For the sake of safety, select a surface which meets the U.S. Consumer Products Safety Commission guidelines for surfaces under play equipment as outlined in A Handbook for Public Playground Safety. For a copy of the handbook, write to:

U.S. Consumer Product Safety Commission Washington, D.C. 20207

## COLORS AVAILABLE



